



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used: **address completion**Found **61,342** of **211,032**

Sort results by

[Save results to a Binder](#)[Try an Advanced Search](#)[Try this search in The ACM Guide](#)

Display results

[Search Tips](#)[Open results in a new window](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐**1** [Complete logical routings in computer mail systems](#)

P. Martin, D. Tsichritzis

January 1986 **ACM Transactions on Information Systems (TOIS)**, Volume 4 Issue 1

Publisher: ACM Press

Full text available: pdf(1.16 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#), [review](#)

The logical routing of a message in a computer mail system involves the identification and location of the set of intended recipients for that message. This function is carried out by the naming and addressing mechanism of the mail system. An important property of that mechanism is that it should be able to identify and locate all the intended recipients of a message, so that, once submitted, a message will not become lost or stuck in the system. We first discuss me ...

**2** [Address-Indexed Memory Disambiguation and Store-to-Load Forwarding](#)

Sam S. Stone, Kevin M. Woley, Matthew I. Frank

November 2005 **Proceedings of the 38th annual IEEE/ACM International Symposium on Microarchitecture MICRO 38**

Publisher: IEEE Computer Society

Full text available: pdf(301.30 KB)

[Publisher Site](#)Additional Information: [full citation](#), [abstract](#), [index terms](#)

This paper describes a scalable, low-complexity alternative to the conventional load/store queue (LSQ) for superscalar processors that execute load and store instructions speculatively and out-of-order prior to resolving their dependences. Whereas the LSQ requires associative and age-prioritized searches for each access, we propose that an address-indexed store-forwarding cache (SFC) perform store-to-load forwarding and that an address-indexed memory disambiguation table (MDT) perform memory dis ...

**3** [Complete answer aggregates for treelike databases: a novel approach to combine querying and navigation](#)

Holger Meuss, Klaus U. Schulz

April 2001 **ACM Transactions on Information Systems (TOIS)**, Volume 19 Issue 2

Publisher: ACM Press

Full text available: pdf(356.60 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The use of markup languages like SGML, HTML or XML for encoding the structure of

documents or linguistic data has lead to many databases where entries are adequately described as trees. In this context querying formalisms are interesting that offer the possibility to refer both to textual content and logical structure. We consider models where the structure specified in a query is not only used as a filter, but also for selecting and presenting different parts of the data. If answers are formaliz ...

**Keywords:** SGML, XML; answer presentation, information retrieval, logic, query languages, semistructured data, structured documents, tree databases, tree matching

#### 4 Toward a complete transformational toolkit for compilers



J. A. Bergstra, T. B. Dinesh, J. Field, J. Heering

September 1997 **ACM Transactions on Programming Languages and Systems (TOPLAS)**, Volume 19 Issue 5

**Publisher:** ACM Press

Full text available: pdf(525.75 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

PIM is an equational logic designed to function as a "transformational toolkit" for compilers and other programming tools that analyze and manipulate imperative languages. It has been applied to such problems as program slicing, symbolic evaluation, conditional constant propagation, and dependence analysis. PIM consists of the untyped lambda calculus extended with an algebraic data type that characterizes the behavior of lazy stores and generalized conditionals. A graph form of ...

**Keywords:** compiler intermediate representation, completion, imperative language, partial evaluation, program transformation, term-rewriting

#### 5 High-speed prefix-preserving IP address anonymization for passive measurement systems

Ramaswamy Ramaswamy, Tilman Wolf

February 2007 **IEEE/ACM Transactions on Networking (TON)**, Volume 15 Issue 1

**Publisher:** IEEE Press

Full text available: pdf(1.04 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Passive network measurement and packet header trace collection are vital tools for network operation and research. To protect a user's privacy, it is necessary to anonymize header fields, particularly IP addresses. To preserve the correlation between IP addresses, prefix-preserving anonymization has been proposed. The limitations of this approach for a high-performance measurement system are the need for complex cryptographic computations and potentially large amounts of memory. We propose a ...

**Keywords:** anonymization, network measurement, privacy

#### 6 Streamlining data cache access with fast address calculation



Todd M. Austin, Dionisios N. Pnevmatikatos, Gurindar S. Sohi

May 1995 **ACM SIGARCH Computer Architecture News, Proceedings of the 22nd annual international symposium on Computer architecture ISCA '95**, Volume 23 Issue 2

**Publisher:** ACM Press

Full text available: pdf(1.58 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

For many programs, especially integer codes, untolerated load instruction latencies account for a significant portion of total execution time. In this paper, we present the

design and evaluation of a fast address generation mechanism capable of eliminating the delays caused by effective address calculation for many loads and stores. Our approach works by predicting early in the pipeline (part of) the effective address of a memory access and using this predicted address to speculatively access the ...

## 7 Power-optimal encoding for DRAM address bus (poster session)



Wei-Chung Cheng, Massoud Pedram

August 2000 **Proceedings of the 2000 international symposium on Low power electronics and design ISLPED '00**

Publisher: ACM Press

Full text available: pdf(207.02 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper presents Pyramid code, an optimal code for transmitting sequential addresses over a DRAM bus. Constructed by finding an Eulerian cycle on a complete graph, this code is optimal for conventional DRAM in the sense that it minimizes the switching activity on the time-multiplexed address bus from CPU to DRAM. Experimental results on a large number of testbenches with different characteristics (i.e. sequential vs. random memory access behaviors) are reported and demonstrate a reduction ...

## 8 Architecture/power: Power efficient branch prediction through early identification of branch addresses



Chengmo Yang, Alex Orailoglu

October 2006 **Proceedings of the 2006 international conference on Compilers, architecture and synthesis for embedded systems CASES '06**

Publisher: ACM Press

Full text available: pdf(247.99 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Ever increasing performance requirements have elevated deeply pipelined architectures to a standard even in the embedded processor domain, requiring the incorporation of dynamic branch prediction subsystems to hide the execution latency of control-altering instructions. In this paper a low power early branch identification technique which enables the design of extremely power-efficient branch predictors and BTBs is proposed. Through static extraction of program information regarding the distance ...

**Keywords:** application-specific processors, dynamic branch prediction, low-power design

## 9 ATUM: a new technique for capturing address traces using microcode



A. Agarwal, R. L. Sites, M. Horowitz

June 1986 **ACM SIGARCH Computer Architecture News , Proceedings of the 13th annual international symposium on Computer architecture ISCA '86**, Volume 14 Issue 2

Publisher: IEEE Computer Society Press, ACM Press

Full text available: pdf(894.10 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Trace-driven simulation is often used in the design of computer systems, especially caches and translation lookaside buffers. Capturing address traces to drive such simulations has been problematic, often involving 1000:1 software overhead to trace a target workload, and/or mechanisms that cause significant distortions in the recorded data. A new technique for capturing address traces has been developed to use a processor's microcode to record addresses in a reserved part of main memory as ...

## 10 An address translation simulator



Steven Robbins


February 2005 **ACM SIGCSE Bulletin , Proceedings of the 36th SIGCSE technical**

**symposium on Computer science education SIGCSE '05**, Volume 37 Issue 1**Publisher:** ACM PressFull text available:  pdf(141.46 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Virtual memory is a major topic in undergraduate operating systems courses. One aspect of virtual memory, address translation, is often covered in an abstract way. When examples are given, only a piece of the translation is done, using a small translation lookaside buffer or a small single-level page table. Since most students learn best by doing rather than watching, the topic is best understood by having students do realistic address translations. This is problematic since it involves lookup f ...

**Keywords:** address translation, operating systems, virtual memory**11 Architectural support for translation table management in large address space machines**


Jerry Huck, Jim Hays

May 1993 **ACM SIGARCH Computer Architecture News , Proceedings of the 20th annual international symposium on Computer architecture ISCA '93**, Volume 21 Issue 2**Publisher:** ACM PressFull text available:  pdf(1.34 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citings](#), [index terms](#)

Virtual memory page translation tables provide mappings from virtual to physical addresses. When the hardware controlled Translation Lookaside Buffers (TLBs) do not contain a translation, these tables provide the translation. Approaches to the structure and management of these tables vary from full hardware implementations to complete software based algorithms. The size of the virtual address space used by processes is rapidly growing beyond 32 bits of address. As the utilized ad ...

**12 CAT—caching address tags: a technique for reducing area cost of on-chip caches**

Hong Wang, Tong Sun, Qing Yang

May 1995 **ACM SIGARCH Computer Architecture News , Proceedings of the 22nd annual international symposium on Computer architecture ISCA '95**, Volume 23 Issue 2**Publisher:** ACM PressFull text available:  pdf(1.36 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citings](#), [index terms](#)

This paper presents a technique for minimizing chip-area cost of implementing an on-chip cache memory of microprocessors. The main idea of the technique *Caching Address Tags, or CAT cache* for short. The CAT cache exploits locality property that exists among addresses of memory references for the purpose of minimizing chip area-cost of address tags. By keeping only a limited number of distinct tags of cached data rather than having as many tags as cache lines, the CAT ...

**13 Compiler construction: an advanced course**F. L. Bauer, F. L. De Remer, M. Griffiths, U. Hill, J. J. Horning, C. H. A. Koster, W. M. McKeeman, P. C. Poole, W. M. Waite, G. Goos, J. Hartmanis  
January 1974 Book**Publisher:** Springer-Verlag New York, Inc.Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#)

The Advanced Course took place from March 4 to 15, 1974 and was organized by the Mathematical Institute of the Technical University of Munich and the Leibniz Computing Center of the Bavarian Academy of Sciences, in co-operation with the European Communities, sponsored by the Ministry for Research and Technology of the Federal

Republic of Germany and by the European Research Office, London.

14 Low power techniques for address encoding and memory allocation



Wei-Chung Cheng, Massoud Pedram

January 2001 **Proceedings of the 2001 conference on Asia South Pacific design automation ASP-DAC '01**

**Publisher:** ACM Press

Full text available: pdf(110.42 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper presents encoding techniques to optimize the switching activity on a multiplexed DRAM address bus. The DRAM switching activity can be classified either as external (between two consecutive addresses) or internal (between the row and column addresses of the same address). To eliminate the external switching activity for sequential access, we propose an optimal encoding, Pyramid code, for conventional DRAM mode as well as Burst Pyramid code for burst mode DRAM. To minimize the inte ...

15 Trace-driven memory simulation: a survey



Richard A. Uhlig, Trevor N. Mudge

June 1997 **ACM Computing Surveys (CSUR)**, Volume 29 Issue 2

**Publisher:** ACM Press

Full text available: pdf(636.11 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

As the gap between processor and memory speeds continues to widen, methods for evaluating memory system designs before they are implemented in hardware are becoming increasingly important. One such method, trace-driven memory simulation, has been the subject of intense interest among researchers and has, as a result, enjoyed rapid development and substantial improvements during the past decade. This article surveys and analyzes these developments by establishing criteria for evaluating trac ...

**Keywords:** TLBs, caches, memory management, memory simulation, trace-driven simulation

16 A programming language



Kenneth E. Iverson

January 1962 Book

**Publisher:** John Wiley & Sons, Inc.

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

**From the Preface**

Applied mathematics is largely concerned with the design and analysis of explicit procedures for calculating the exact or approximate values of various functions. Such explicit procedures are called algorithms or programs. Because an effective notation for the description of programs exhibits considerable syntactic structure, it is called a programming language.

Much of applied mathematics, particularly the more recent computer-related areas which ...

17 Scalable Load and Store Processing in Latency Tolerant Processors



Amit Gandhi, Haitham Akkary, Ravi Rajwar, Srikanth T. Srinivasan, Konrad Lai



May 2005 **ACM SIGARCH Computer Architecture News , Proceedings of the 32nd annual international symposium on Computer Architecture ISCA '05**, Volume 33 Issue 2

**Publisher:** IEEE Computer Society, ACM Press

Full text available: pdf(187.74 KB) Additional Information: [full citation](#), [abstract](#), [cited by](#), [index terms](#)

Memory latency tolerant architectures support thousands of in-flight instructions without scaling cycle-critical processor resources, and thousands of useful instructions can complete in parallel with a miss to memory. These architectures however require large queues to track all loads and stores executed while a miss is pending. Hierarchical designs alleviate cycle time impact of these structures but the CAM and search functions required to enforce memory ordering and provide data forwarding pl ...

# 18 Implementing a family of distributed garbage collectors

Stuart Norcross, Ron Morrison, Dave Munro, Henry Detmold

February 2003 **Proceedings of the 26th Australasian computer science conference - Volume 16 ACSC '03**

**Publisher:** Australian Computer Society, Inc.

Full text available: pdf(353.94 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper discusses implementations of distributed garbage collectors derived using a methodology developed previously that involves mappings of distributed termination detection algorithms (DTAs) to local garbage collection schemes. Implementations produced by such mappings preserve the safety and completeness properties of the original local collectors. Through our collector implementations we have come to understand that the derivation technique extends to distributed collection schemes with ...

**Keywords:** distributed termination, garbage collection

# 19 Evaluation of architectural support for global address-based communication in large-scale parallel machines



Arvind Krishnamurthy, Klaus E. Schauser, Chris J. Scheiman, Randolph Y. Wang, David E. Culler, Katherine Yelick

October 1996 **ACM SIGOPS Operating Systems Review , ACM SIGPLAN Notices , Proceedings of the seventh international conference on Architectural support for programming languages and operating systems ASPLOS-VII**, Volume 30 , 31 Issue 5 , 9

**Publisher:** ACM Press

Full text available: pdf(1.42 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Large-scale parallel machines are incorporating increasingly sophisticated architectural support for user-level messaging and global memory access. We provide a systematic evaluation of a broad spectrum of current design alternatives based on our implementations of a global address language on the Thinking Machines CM-5, Intel Paragon, Meiko CS-2, Cray T3D, and Berkeley NOW. This evaluation includes a range of compilation strategies that make varying use of the network processor; each is optimiz ...

# 20 Session: file and access structures: A dynamic address computation mechanism for use in database management



Thomas J. Cook

May 1978 **Proceedings of the 1978 ACM SIGMOD international conference on management of data SIGMOD '78**

**Publisher:** ACM Press

Full text available:  pdf(1.17 MB) Additional Information: [full citation](#), [abstract](#), [references](#)

A dynamic address computation mechanism for use in database management is presented. The address computation technique allows information structured according to a given pre-defined tree to be stored without any address pointers, yet the populated tree is assumed to have an arbitrary number of branches below non-terminating tree nodes, and have arbitrary length information stored at the tree leaves. The address computation is accomplished using a compact (yet complete) address-free description o ...

**Keywords:** address computation, computer architecture, database management systems, segmented-page storage, trees

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.  
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#)

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "( ( address&lt;in&gt;metadata ) &lt;and&gt; ( completion&lt;in&gt;metadata ) )"

Your search matched **185** of **1666250** documents.

e-mail

A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

## » Search Options

[View Session History](#)[New Search](#)

## » Other Resources

(Available For Purchase)

## Top Book Results

[The Cognitive Dynamics of  
Computer Science](#)
by Tarbell, M. A.; Gyrky, S. D.;  
Hardcover, Edition: 1
[View All 1 Result\(s\)](#)

## Modify Search

( ( address&lt;in&gt;metadata ) &lt;and&gt; ( completion&lt;in&gt;metadata ) )

Search

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract
 [view selected items](#)
[Select All](#) [Deselect All](#)View: [1-25](#) | [26-5](#)

## » Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding








IET CNF IET Conference Proceeding








IEEE STD IEEE Standard







- 1. Efficient systematic error-correcting codes for semi-delay-insensitive dat**  
 Fu-Chiung Cheng; Shuen-Long Ho;  
[Computer Design, 2001. ICCD 2001. Proceedings. 2001 International Confere](#)  
 23-26 Sept. 2001 Page(s):24 - 29  
 Digital Object Identifier 10.1109/ICCD.2001.954999  
[AbstractPlus](#) | Full Text: [PDF\(520 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- 2. Quantifying the cluster speedup behavior in the realm of internode commr**  
 Heger, D.A.; Simco, G.;  
[SoutheastCon, 2005. Proceedings. IEEE](#)  
 8-10 April 2005 Page(s):311 - 318  
 Digital Object Identifier 10.1109/SECON.2005.1423265  
[AbstractPlus](#) | Full Text: [PDF\(1848 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- 3. VIBe: a micro-benchmark suite for evaluating virtual interface architectur implementations**  
 Banikazemi, M.; Liu, J.; Kutlug, S.; Ramakrishnan, A.; Sadayappan, P.; Shah,  
[Parallel and Distributed Processing Symposium. Proceedings 15th Internation](#)  
 23-27 April 2001 Page(s):8 pp.  
 Digital Object Identifier 10.1109/IPDPS.2001.924960  
[AbstractPlus](#) | Full Text: [PDF\(920 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- 4. Process automation for distribution operations management**  
 Fustar, S.;  
[Electricity Distribution, 2001. Part 1: Contributions. CIRED. 16th International C](#)  
[Exhibition on \(IEE Conf. Publ No. 482\)](#)  
 Volume 3, 18-21 June 2001 Page(s):5 pp. vol.3  
[AbstractPlus](#) | Full Text: [PDF\(400 KB\)](#) IET CNF
- 5. A Programmable CRT Display Scheme for Memory Output**  
 Biswas, Ranendra N.; Gopalan, K.;  
[Instrumentation and Measurement, IEEE Transactions on](#)  
 Volume 29, Issue 1, March 1980 Page(s):77 - 79  
 Digital Object Identifier 10.1109/TIM.1980.4314869



[AbstractPlus](#) | [Full Text: PDF\(696 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)

-  **6. MP/C: A Multiprocessor/Computer Architecture**  
Arden, B.W.; Ginosar, R.;  
[Transactions on Computers](#)  
Volume C-31, [Issue 5](#), May 1982 Page(s):455 - 473  
Digital Object Identifier 10.1109/TC.1982.1676022  
[AbstractPlus](#) | [Full Text: PDF\(4930 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)
-  **7. Alien vs. Quine**  
Gratzer, Vanessa; Naccache, David;  
[Security & Privacy Magazine, IEEE](#)  
Volume 5, [Issue 2](#), March-April 2007 Page(s):26 - 31  
Digital Object Identifier 10.1109/MSP.2007.28  
[AbstractPlus](#) | [Full Text: PDF\(410 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)
-  **8. Organization of the Motorola 88110 superscalar RISC microprocessor**  
Diefendorff, K.; Allen, M.;  
[Micro, IEEE](#)  
Volume 12, [Issue 2](#), April 1992 Page(s):40 - 63  
Digital Object Identifier 10.1109/40.127582  
[AbstractPlus](#) | [Full Text: PDF\(2328 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)
-  **9. Power-aware scheduling for periodic real-time tasks**  
Aydin, H.; Melhem, R.; Mosse, D.; Mejia-Alvarez, P.;  
[Computers, IEEE Transactions on](#)  
Volume 53, [Issue 5](#), May 2004 Page(s):584 - 600  
Digital Object Identifier 10.1109/TC.2004.1275298  
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(1486 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)
-  **10. Quasi-Static Assignment of Voltages and Optional Cycles in Imprecise-C Systems With Energy Considerations**  
Cortes, L.A.; Eles, P.; Peng, Z.;  
[Very Large Scale Integration \(VLSI\) Systems, IEEE Transactions on](#)  
Volume 14, [Issue 10](#), Oct. 2006 Page(s):1117 - 1129  
Digital Object Identifier 10.1109/TVLSI.2006.884152  
[AbstractPlus](#) | [Full Text: PDF\(800 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)
-  **11. The DVB multimedia home platform (MHP) and related specifications**  
Piesing, J.;  
[Proceedings of the IEEE](#)  
Volume 94, [Issue 1](#), Jan. 2006 Page(s):237 - 247  
Digital Object Identifier 10.1109/JPROC.2005.860997  
[AbstractPlus](#) | [Full Text: PDF\(536 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)
-  **12. Modeling and design of asynchronous circuits**  
Josephs, M.B.; Nowick, S.M.; Van Berkel, C.H.;  
[Proceedings of the IEEE](#)  
Volume 87, [Issue 2](#), Feb. 1999 Page(s):234 - 242  
Digital Object Identifier 10.1109/5.740017  
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(128 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)

-  **13. Topology-aided cross-layer fast handoff designs for IEEE 802.11/mobile I**  
Chien-Chao Tseng; Li-Hsing Yen; Hung-Hsin Chang; Kai-Cheng Hsu;  
[Communications Magazine, IEEE](#)  
Volume 43, [Issue 12](#), Dec. 2005 Page(s):156 - 163  
Digital Object Identifier 10.1109/MCOM.2005.1561933  
[AbstractPlus](#) | Full Text: [PDF\(130 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
-  **14. The China Light and Power Company energy management system**  
Lee, Y.B.; Mitten, R.; Liu, K.-C.; Seyfert, G.A.;  
[Power Systems, IEEE Transactions on](#)  
Volume 6, [Issue 1](#), Feb. 1991 Page(s):199 - 205  
Digital Object Identifier 10.1109/59.131063  
[AbstractPlus](#) | Full Text: [PDF\(780 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
-  **15. Investigating the cost/schedule trade-off in software development**  
Abdel-Hamid, T.K.;  
[Software, IEEE](#)  
Volume 7, [Issue 1](#), Jan. 1990 Page(s):97 - 105  
Digital Object Identifier 10.1109/52.43055  
[AbstractPlus](#) | Full Text: [PDF\(884 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
-  **16. The impact of home bus standards on consumer product design: address challenge for a better user interface**  
Butler, D.A.;  
[Consumer Electronics, IEEE Transactions on](#)  
Volume 37, [Issue 2](#), May 1991 Page(s):163 - 167  
Digital Object Identifier 10.1109/30.79324  
[AbstractPlus](#) | Full Text: [PDF\(420 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
-  **17. Architectural partitioning for system level synthesis of integrated circuits**  
Lagnese, E.D.; Thomas, D.E.;  
[Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction](#)  
Volume 10, [Issue 7](#), July 1991 Page(s):847 - 860  
Digital Object Identifier 10.1109/43.87596  
[AbstractPlus](#) | Full Text: [PDF\(1308 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
-  **18. Auditing R&D planning**  
Titus, G.J.; Liberatore, M.J.;  
[Engineering Management, IEEE Transactions on](#)  
Volume 38, [Issue 2](#), May 1991 Page(s):171 - 177  
Digital Object Identifier 10.1109/17.78414  
[AbstractPlus](#) | Full Text: [PDF\(564 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
-  **19. Scheduling products with bills of materials using an improved Lagrangia technique**  
Czerwinski, C.S.; Luh, P.B.;  
[Robotics and Automation, IEEE Transactions on](#)  
Volume 10, [Issue 2](#), April 1994 Page(s):99 - 111  
Digital Object Identifier 10.1109/70.282535  
[AbstractPlus](#) | Full Text: [PDF\(1232 KB\)](#) IEEE JNL  
[Rights and Permissions](#)

-  **20. Cross point assignment with global rerouting for general-architecture de**  
Wen-Chung Kao; Tai-Ming Parn; [Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction](#)  
Volume 14, [Issue 3](#), March 1995 Page(s):337 - 348  
Digital Object Identifier 10.1109/43.365124  
[AbstractPlus](#) | [Full Text: PDF\(1036 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)
-  **21. Systems integration via software risk management**  
Chittister, C.G.; Haimes, Y.Y.; [Systems, Man and Cybernetics, Part A, IEEE Transactions on](#)  
Volume 26, [Issue 5](#), Sept. 1996 Page(s):521 - 532  
Digital Object Identifier 10.1109/3468.531900  
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(1364 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)
-  **22. Heuristics for scheduling I/O operations**  
Jain, R.; Somalwar, K.; Werth, J.; Browne, J.C.; [Parallel and Distributed Systems, IEEE Transactions on](#)  
Volume 8, [Issue 3](#), March 1997 Page(s):310 - 320  
Digital Object Identifier 10.1109/71.584096  
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(2436 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)
-  **23. Hermite reduction methods for generation of a complete class of linear-p reconstruction filter banks-Part I: Theory**  
Basu, S.; Han Mook Choi; [Circuits and Systems II: Analog and Digital Signal Processing, IEEE Transacti](#)  
[Circuits and Systems II: Express Briefs, IEEE Transactions on](#)  
Volume 46, [Issue 4](#), April 1999 Page(s):434 - 447  
Digital Object Identifier 10.1109/82.755414  
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(688 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)
-  **24. Dynamic scheduling techniques for interactive hypermedia servers**  
Hamidzadeh, B.; Tsun-Ping, J.; [Consumer Electronics, IEEE Transactions on](#)  
Volume 45, [Issue 1](#), Feb. 1999 Page(s):46 - 56  
Digital Object Identifier 10.1109/30.754416  
[AbstractPlus](#) | [Full Text: PDF\(908 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)
-  **25. Dynamic configuration management in reliable distributed real-time infor**  
Kim, K.H.; Subbaraman, C.; [Knowledge and Data Engineering, IEEE Transactions on](#)  
Volume 11, [Issue 1](#), Jan.-Feb. 1999 Page(s):239 - 254  
Digital Object Identifier 10.1109/69.755632  
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(492 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)

View: [1-25](#) | [26-5](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)



address completion autofill

Search

[Advanced Search](#)  
[Preferences](#)

New! [View and manage your web history](#)

Web

Results 1 - 10 of about 67,700 for **address completion autofill**. (0.20 seconds)

### [PDF] **Autofill Name Completion**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

GroupWise: **Autofill Name Completion**. The **Autofill Name Completion** function automatically searches through an **address** book for the name you are ...  
[www.valpo.edu/it/groupwise/docs/AutofillNameCompletion.pdf](http://www.valpo.edu/it/groupwise/docs/AutofillNameCompletion.pdf) - [Similar pages](#)

### **TidBITS - Address Book Auto-complete Values?**

Subject: Re: **Address Book Auto-complete Values?** > The **autofill** feature has been a real pain in the old kazoo when it automatically adds a ...  
[emperor.tidbits.com/TidBITS/Talk/185](http://emperor.tidbits.com/TidBITS/Talk/185) - 47k - [Cached](#) - [Similar pages](#)

### [PDF] **GroupWise 5.5 Name Completion**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

eMail addresses stored in the main GroupWise **address** book. You can also have GroupWise search and do a Name **Completion** or **Autofill** from your ...  
[uuhsc.utah.edu/its/training/archivedtips/download.cfm?filename=010314GroupWiseNameCompletion.pdf](http://uuhsc.utah.edu/its/training/archivedtips/download.cfm?filename=010314GroupWiseNameCompletion.pdf) - [Similar pages](#)

### **AutoFill of email addresses in the address fields when typing in ...**

Title: **AutoFill** of email addresses in the **address** fields when typing in an .... How to Reset the Nickname and Automatic **Completion** Cache In Outlook 2003 and ...  
[www.experts-exchange.com/Applications/MS\\_Office/Outlook/Q\\_20994935.html](http://www.experts-exchange.com/Applications/MS_Office/Outlook/Q_20994935.html) - 73k - [Cached](#) - [Similar pages](#)

### '[Bug 89074] autofill from adressbook if i start write the' - MARC

... thread] List: kmail-devel Subject: [Bug 89074] **autofill** from adressbook if i ... with KDE 3.4 one can use name and email **address** for **address completion**, ...  
[lists.kde.org/?l=kmail-devel&m=111495129429832&w=2](http://lists.kde.org/?l=kmail-devel&m=111495129429832&w=2) - [Similar pages](#)

### **mozdev.org - autofill: index**

Thankyou chaps my life is **complete** again. Mozilla/5.0 (Windows; U; .... Yep, this is known behaviour because **autofill** see's the "**Address**" label and ...  
[autofill.mozdev.org/](http://autofill.mozdev.org/) - 194k - [Cached](#) - [Similar pages](#)

### **RoboForm Features: Fill In Forms, Automatic Forms Completion, Save ...**

Basic Authentication: RoboForm can **AutoFill** and AutoSave login info from Basic ... You can use Contacts to create your own **Address** Book, with folder tree ...  
[www.roboform.com/features.html](http://www.roboform.com/features.html) - 30k - [Cached](#) - [Similar pages](#)

### **Section 508: 508 Universe Training - User Guidance**

If you have used the correct EMAIL **address** you will get the "EMAIL SENT" ... Fill in your name and the course **completion** date (an **auto fill** feature is being ...  
[www.section508.gov/index.cfm?FuseAction=Content&ID=188](http://www.section508.gov/index.cfm?FuseAction=Content&ID=188) - 19k - [Cached](#) - [Similar pages](#)

### **Completion of Personal Peacemaking Study - Peacemaker Ministries**

Already Registered? Click here to **autofill** this form. **Complete** the form below to affirm that you have completed the Personal Peacemaking Study, ...  
[www.peacemaker.net/.../b.1335593/k.1A9D/Completion\\_of\\_Personal\\_Peacemaking\\_Study/apps/ka/ct/default.asp](http://www.peacemaker.net/.../b.1335593/k.1A9D/Completion_of_Personal_Peacemaking_Study/apps/ka/ct/default.asp) - 81k -

[Cached](#) - [Similar pages](#)

**Reset the Nickname and Auto Completion cache in Outlook 2002 (XP ...**

Report as spam Discussion - Post 5 of 9; **auto fill**: Typing part of the ... ctrl + k automatically completes the names if they are in your **address** book/list. ...

techrepublic.com.com/5208-6230-0.html?forumID=102&

threadID=203417&messageID=2116535 - 44k - [Cached](#) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)